

Descrizione del Prodotto

La testa per pulsante di arresto di emergenza Schneider Electric ZB5AS844 è progettata per applicazioni industriali, offrendo un'interfaccia ergonomica per il controllo delle macchine. Il suo design modulare facilita la manutenzione post-installazione e l'adattamento a macchinari preesistenti.

([se.com](https://www.se.com/us/en/product/ZB5AS844/harmony-22mm-push-button-emergency-stop-head-trigger-and-latching-turn-release-red-40-mm-mushroom-unmarked/?utm_source=openai))

Caratteristiche Principali

- **Materiale della Ghiera:** Plastica di colore grigio scuro.
([se.com](https://www.se.com/us/en/product/ZB5AS844/harmony-22mm-push-button-emergency-stop-head-trigger-and-latching-turn-release-red-40-mm-mushroom-unmarked/?utm_source=openai))
- **Diametro del Foro di Montaggio:** 22 mm.
([se.com](https://www.se.com/us/en/product/ZB5AS844/harmony-22mm-push-button-emergency-stop-head-trigger-and-latching-turn-release-red-40-mm-mushroom-unmarked/?utm_source=openai))
- **Profilo dell'Operatore:** Testa a fungo rossa da 40 mm, non marcata.
([se.com](https://www.se.com/us/en/product/ZB5AS844/harmony-22mm-push-button-emergency-stop-head-trigger-and-latching-turn-release-red-40-mm-mushroom-unmarked/?utm_source=openai))
- **Tipo di Operatore:** Azione a scatto con bloccaggio meccanico.
([se.com](https://www.se.com/us/en/product/ZB5AS844/harmony-22mm-push-button-emergency-stop-head-trigger-and-latching-turn-release-red-40-mm-mushroom-unmarked/?utm_source=openai))
- **Reset:** Sblocco tramite rotazione.
([se.com](https://www.se.com/us/en/product/ZB5AS844/harmony-22mm-push-button-emergency-stop-head-trigger-and-latching-turn-release-red-40-mm-mushroom-unmarked/?utm_source=openai))

unmarked/?utm_source=openai))

- **Durata Meccanica:** 300.000 cicli.

([se.com](https://www.se.com/us/en/product/ZB5AS844/harmony-22mm-push-button-mergency-stop-head-trigger-and-latching-turn-release-red-40-mm-mushroom-unmarked/?utm_source=openai))

Specifiche Ambientali

- **Temperatura di Funzionamento:** Da -40°C a +70°C.

([se.com](https://www.se.com/us/en/product/ZB5AS844/harmony-22mm-push-button-mergency-stop-head-trigger-and-latching-turn-release-red-40-mm-mushroom-unmarked/?utm_source=openai))

- **Grado di Protezione IP:** IP66, IP67, IP69, IP69K.

([se.com](https://www.se.com/us/en/product/ZB5AS844/harmony-22mm-push-button-mergency-stop-head-trigger-and-latching-turn-release-red-40-mm-mushroom-unmarked/?utm_source=openai))

- **Grado di Protezione IK:** IK03.

([se.com](https://www.se.com/us/en/product/ZB5AS844/harmony-22mm-push-button-mergency-stop-head-trigger-and-latching-turn-release-red-40-mm-mushroom-unmarked/?utm_source=openai))

- **Resistenza alle Vibrazioni:** 5 gn (2-500 Hz) conforme a IEC 60068-2-6.

([se.com](https://www.se.com/us/en/product/ZB5AS844/harmony-22mm-push-button-mergency-stop-head-trigger-and-latching-turn-release-red-40-mm-mushroom-unmarked/?utm_source=openai))

- **Resistenza agli Urti:** 30 gn (durata 18 ms) e 50 gn (durata 11 ms) conforme a IEC 60068-2-27.

([se.com](https://www.se.com/us/en/product/ZB5AS844/harmony-22mm-push-button-mergency-stop-head-trigger-and-latching-turn-release-red-40-mm-mushroom-

unmarked/?utm_source=openai))

Certificazioni e Conformità

- **Standard:** UL 508, EN/ISO 13850, IEC 60364-5-53, EN/IEC 60204-1, GB 14048.5, JIS C8201-5-1, EN/IEC 60947-5-4, CSA C22.2 No 14, EN/IEC 60947-5-5, EN/IEC 60947-1, EN/IEC 60947-5-1, JIS C8201-1.
([se.com](https://www.se.com/us/en/product/ZB5AS844/harmony-22mm-push-button-emergency-stop-head-trigger-and-latching-turn-release-red-40-mm-mushroom-unmarked/?utm_source=openai))
- **Certificazioni:** CSA, DNV, LROS (Lloyd's Register of Shipping), UL Listed, GL, BV.
([se.com](https://www.se.com/us/en/product/ZB5AS844/harmony-22mm-push-button-emergency-stop-head-trigger-and-latching-turn-release-red-40-mm-mushroom-unmarked/?utm_source=openai))

Note Aggiuntive

La testa per pulsante ZB5AS844 è progettata per essere installata in fori standard da 22 mm, garantendo compatibilità con macchinari esistenti. Il suo design robusto e le elevate specifiche ambientali la rendono adatta per ambienti industriali gravosi.
([se.com](https://www.se.com/us/en/product/ZB5AS844/harmony-22mm-push-button-emergency-stop-head-trigger-and-latching-turn-release-red-40-mm-mushroom-unmarked/?utm_source=openai))